

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WAD980738546		Manifest Document No. 59440		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address ALASKAN COPPER WORKS 628 S. HANFORD SEATTLE, WA. 98134						A. State Manifest Document Number							
4. Generator's Phone (206) 623-5800						B. State Generator's ID							
5. Transporter 1 Company Name SAFETY-KLEEN CORP.				6. US EPA ID Number ILD 984908202		C. State Transporter's ID							
7. Transporter 2 Company Name SLT EXPRESS				8. US EPA ID Number UTD 981552425		D. Transporter's Phone 206 775-7030							
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP 16540 SE 130TH ST CLACKAMAS OR 97015				10. US EPA ID Number ORD 981766124		E. State Transporter's ID							
						F. Transporter's Phone 800 627 3047							
						G. State Facility's ID							
						H. Facility's Phone 503 657-7033							
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (WP02) (8001, D006, D008, D018, B035, D039 D040, WC02)						1. DM		19		G		8001 D018*	
b.													
c.													
d.													
J. Additional Descriptions for Materials Listed Above (A) *D039, D006, D008 (A) B035, D040, F001 F003 WP02 WC02						K. Handling Codes for Wastes Listed Above 75601708							
15. Special Handling Instructions and Additional Information EMERGENCY RESP#708-888-4660 24HR. 7-092-01-7186 PP#-P59440 I(A) CONTD-F003, F005, WP02, WC02 IF UNDELIVERABLE, RETURN TO GENERATOR SKDOT# A: 653 660 B: C: D:													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name PETER H. MONSAAS										Signature <i>Peter H. Monsaas</i>		Date 11/18/94	
17. Transporter 1 Acknowledgement of Receipt of Materials										Signature <i>David H. Blackham</i>		Date 11/18/94	
Printed/Typed Name DAVID H. BLACKHAM										Signature <i>David H. Blackham</i>		Date 11/18/94	
18. Transporter 2 Acknowledgement of Receipt of Materials										Signature <i>AL Bordo</i>		Date 11/23/94	
Printed/Typed Name AL Bordo										Signature <i>AL Bordo</i>		Date 11/23/94	
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name <i>Allen Skoren</i>													
Signature <i>Allen Skoren</i>										Date 11/18/94		SAFETY-KLEEN CORP.	

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

6P00189

90290

6

ORIGINAL-RETURN TO GENERATOR

AKC-0018245

Public reporting burden for this collection of information is estimated to average 37 minutes for generators, 15 minutes for transporters, and 10 minutes for treatment, storage and disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PW-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WAAD980738546		Manifest Document No. 59440		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address ALASKAN COPPER WORKS 628 S. HANFORD SEATTLE, WA 98134						A. State Manifest Document Number							
4. Generator's Phone (206) 623-5800						B. State Generator's ID							
5. Transporter 1 Company Name SAFETY-KLEEN CORP.				6. US EPA ID Number IL0 984300202		C. State Transporter's ID							
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 206 775-7030							
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP 10540 SE 130TH ST CLACKAMAS WA 97015						E. State Transporter's ID							
10. US EPA ID Number BUILDING H QID 981740124						F. Transporter's Phone							
						G. State Facility's ID							
						H. Facility's Phone 803 437-7033							
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGII (IMP30) (5001, 0006, 0008, 0010, 0005, 0039, 0040, WCO4)						1		19				0001	
b.												0010	
c.													
d.													
J. Additional Descriptions for Materials Listed Above (A) 00039, 00040, 0008						K. Handling Codes for Wastes Listed Above							
(A) 00040, 00040, 0001, 0003, 0002, WCO2													
15. Special Handling Instructions and Additional Information EMERGENCY RESP# 708-888-4600 24HR. 7-092-01-7186 PPA-PS9440 IF UNDELIABLE, RETURN TO GENERATOR SAFETY-KLEEN CORP. C: 01													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name						Signature						Date	
DAVID H. BLACKMAN						David H. Blackman						11/18/94	
17. Transporter 1 Acknowledgement of Receipt of Materials						Date							
Printed/Typed Name						Signature						Date	
DAVID H. BLACKMAN						David H. Blackman						11/18/94	
18. Transporter 2 Acknowledgement of Receipt of Materials						Date							
Printed/Typed Name						Signature						Date	
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name						Signature						Date	

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

6P001 89

GENERATOR COPY

SAFETY-KLEEN CORP.

90290

6

AKC-0018246

Public reporting burden for this collection of information is estimated to average: 37 minutes for generators, 15 minutes for transporters, and 10 minutes for disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.



1000 Randall Road
Elgin, Illinois 60123



DUNS NO. 05106-0408

FED. ID NO. 39-6090019

MACHINE PLACEMENT FORM

BRANCH

7-092-01

BILL TO (IF DIFFERENT FROM LOCATION)

7186
P 59440

GENERATOR/LOCATION

NAME ALASKAN COPPER WORKS		NAME	
DELIVERY ADDRESS 428 S. HAWFORD		DELIVERY ADDRESS	
INFORMATION/ATTENTION LINE DELE		INFORMATION/ATTENTION LINE	
CITY & STATE SEATTLE WA		CITY & STATE	
ZIP 98134		ZIP	
TAX CODE 480857485		TAX CODE	
USA EPA ID NO. WAD980738546		STATE ID NO.	
MANIFEST NUMBER			

MACHINE PLACEMENT		DATE PLACED		9/29/94				
MACHINE SERIAL NO.	CAUSE CODE	CHARGE	TAX	TOTAL	SERVICE INTERVAL	MSDS GIVEN	NEXT SERVICE	PLACEMENT CODE SEE BELOW
330-00320		244.25	20.03	264.28	16	<input checked="" type="checkbox"/>	95-10	5
						<input type="checkbox"/>		
						<input type="checkbox"/>		
						<input type="checkbox"/>		
						<input type="checkbox"/>		
						<input type="checkbox"/>		
I hereby acknowledge placement of the machine(s) described herein and having read the directions for use on the reverse side, I further acknowledge reading and do accept the terms and conditions of this machine placement and solvent reclamation agreement as well as the additional terms and conditions appearing on the reverse side hereof, all of which are hereby incorporated into and made a part hereof.						REFUSED SERVICE EXPLAIN		PLACEMENT CODES (1) NEW APPLICATION (2) REPLACE DEFECTIVE MACHINE (3) REPLACE COMPETITIVE MACHINE (4) REPLACE HOME MADE VAT. (5) ADDITIONAL MACHINE
GENERATOR / CUSTOMER'S SIGNATURE X [Signature]								

MACHINE CONFIRMATION										
DATE OF CONFIRMATION	SALES REP. NO.	SALES SPECIALIST	BUSINESS TYPE	BLITZ CODE	P/W TAX %	C.O.M.S. TAX %	PROD. TAX %	CHAIN	SVC P/S	PROD P/S
	2458		09		082				522	
CUSTOMER'S P.O. NUMBER	BLANKET <input type="checkbox"/> TEMPORARY <input type="checkbox"/>		SALES TAX EXEMPTION NO.		GENERATOR/CUSTOMER TELEPHONE NUMBER			SPECIAL HANDLING		CREDIT CODE
M37320					206-673-5800					

HAZARDOUS WASTE INFORMATION									
CONTAINERS					USEPA TRANSPORTER ID #ILD051060408				
PAIS NO. DM	SSPW TANKS DF	16 GAL NO. DM	30 GAL NO. DM	TOTAL LBS. OR GAL	0 to 220 LBS./MONTH				
			1	19	Initials				
US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.) Waste Combustible Liquid, N.O.S. (Petroleum Naphtha) NA1993 PG III (EPA, D001, D018, D039) (ERG #27)					220 LBS. to 2,200 LBS./MONTH				
RO Waste Compounds, Cleaning Liquid (Monoethanolamine) 8, NA1760 PG III (EPA, D006, D007, D008, D018, D021, D027, D039, D040) (ERG #60)					Initials				
					GREATER THAN 2,200 LBS./MONTH				
					Initials				

Total Quantity = Number of Drums x Ave. Wt/Drum of: Pails					SSPW TANKS	16 Gal	30 Gal	SPENT SOLVENT MEETS ACCEPTANCE CRITERIA YES <input type="checkbox"/> NO <input type="checkbox"/>	
DESIGNATED FACILITY NAME AND ADDRESS: SAFETY-KLEEN CORP.					USA EPA ID NO. DRD981766124				
4540 S.E. 130TH ST. BLDG-B CLACKAMAS, OR. 97015					STATE ID NO.				

PRODUCT SALES SECTION								
PRODUCT NUMBER	DESCRIPTION	MSDS GIVEN	DEALER PRICE	UNIT OF MEASURE	QUANTITY DELIVERED	SALES AMOUNT	TAX	LINE TOTAL
613	Hose/Brush	<input type="checkbox"/>	11.30	EA	1	N/C	-	N/C
	6 WEEK	<input type="checkbox"/>	FREE TRIAL	N/C				
10001	SET UP FEE	<input type="checkbox"/>	10.00	EA	1	10.00	.82	10.82
		<input type="checkbox"/>						

PAYMENT RECEIVED SECTION				TOTAL PRODUCT AMOUNTS		TOTAL MACHINE SERVICE AMOUNT (INCLUDING TAX)		TOTAL DUE	
CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:		1 10.00 .82 10.82		244.25		255.07	
CHECK NUMBER	TODAYS SERVICE/SALE <input type="checkbox"/>		PREVIOUS BALANCE AS FOLLOWS <input type="checkbox"/>						
INV. #	AMOUNT \$		CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION.						
INV. #	AMOUNT \$		INVOICES ARE SUBJECT TO AN INTEREST CHARGE OF THE LESSER OF 1 1/2% PER MONTH (18% PER ANNUM) OR THE MAXIMUM RATE ALLOWED BY LAW ON ANY UNPAID INVOICES THAT ARE NOT PAID WITHIN 30 DAYS.						
INV. #	AMOUNT \$		IN THE EVENT OF DEFAULT, SAFETY-KLEEN SHALL BE ENTITLED TO RECOVER COSTS OF COLLECTION, INCLUDING REASONABLE ATTORNEY'S FEES.						
IN EVENT OF EMERGENCY CALL 1-708-888-4660 (24 hours)				THE RECLAMATION AGREEMENT, ADDITIONAL TERMS AND CONDITIONS, AND OTHER INFORMATION APPEARING ON THE REVERSE SIDE ARE MADE A PART HEREOF.					
PLEASE SEE REVERSE SIDE FOR IMPORTANT INFORMATION				X [Signature] GENERATOR/DESIGNATED REPRESENTATIVE SIGNATURE		PRINT NAME > P.H. Mousaas			

CUSTOMER'S COPY - CONFIRMATION

PART NO. 1323 (2/93)

AKC-0018247

DIRECTIONS FOR SAFE, EFFECTIVE USE OF THE SAFETY-KLEEN PARTS WASHER UNIT AND SAFETY-KLEEN IMMERSION CLEANER UNIT. READ BEFORE USING.

I. SAFETY-KLEEN PARTS WASHER SOLVENT

Safety-Kleen solvent is a high flash, hydrocarbon solvent suitable for use in degreasing applications.

A. Combustibility

Safety-Kleen solvent is a combustible material. That means it will burn under certain conditions. Your Safety-Kleen parts washer should not be installed where it can be exposed to heat, sparks or open flame; nor should there be any smoking nearby while a Safety-Kleen parts washer is in use.

B. In Case of Fire

Use dry chemicals, foam or carbon dioxide to extinguish flame. The safety fusible link is designed to melt and allow the cover to fall shut and smother any flames.

C. Toxicity

Safety-Kleen solvent is by definition considered only slightly toxic to relatively non-toxic. Avoid inhaling or swallowing the Safety-Kleen solvent and its coming in contact with your skin, face and eyes. If taken internally, splashed in your eyes, inhaled, or upon contact with your skin, face or eyes, follow the instructions below for treatment.

1. Skin contact-Remove contaminated clothing. Wash skin twice with soap and water. If irritation or pain develops or persists, consult a physician.
2. Eyes-Wash with plenty of water. Call a physician immediately.
3. Internally-Do not induce vomiting. Call physician immediately. Guard against inhaling solvent into lungs.
4. Inhalation-Avoid Breathing solvent vapors. Adequate ventilation should be provided in any area where the Safety-Kleen parts washer is being used.
5. Clothes-If your clothes become saturated with solvent, change clothes immediately. Above all, do not smoke or go near an open flame or sparks while clothes are wet with solvent.

II. USE OF YOUR SAFETY-KLEEN PARTS WASHER

A. Avoid leaving large parts or tools in your parts washer which might prevent the lid from closing in case of a fire in your place of business.

B. Avoid leaving solvent soaked rags either in your parts washer, wadded up on workbenches or in uncovered containers. Do not put a solvent soaked rag in your pocket. It will cause a skin rash at point of contact.

C. If you use a soaking pan, make certain that its height is less than the sink height and empty it into the sink as soon as you have finished using your parts washer.

D. Do not let open pans of solvent sit either in the sink or anywhere else around your place of business.

E. Safety-Kleen cannot accept for reclamation materials other than the solvents originally supplied and the materials removed from the parts cleaned. Therefore, additional solvents or other materials must not be added to the machine. You should note that even small amounts of low flash point materials (such as gasoline) lower the flash point of Safety-Kleen solvent substantially.

F. If, for any reason, the fusible link should break or fail, call your local Safety-Kleen branch for a replacement. Do not use a cotter key or other device to hold the lid up. The fusible link is checked each time a Safety-Kleen man services your unit and if the safety link is faulty, it will be replaced. If it breaks between our service periods, call for a replacement immediately.

G. Do not place extremely heavy objects in one end of the parts washer unit. The parts washer is very stable but an extremely heavy object could result in the washer being tipped if it is bumped, causing the solvent to dump out on your floor.

H. Any and all solvent spills should immediately be soaked up with absorbent material, such as Safety-Kleen absorbent, and the solvent soaked material should be removed from the shop area. Contact Safety-Kleen for disposal.

I. Part of Safety-Kleen's service is immediate repair or replacement of your parts washer should there be any failure of any kind. Simply call your local Safety-Kleen branch. The number is on the parts washer lid.

J. Your Safety-Kleen parts washer should be plugged into a grounded outlet. Under no circumstances should a grounding prong be snipped off the plug. Safety-Kleen provides, at no charge, an adapter which permits grounding on two-prong electrical outlets.

K. Do not remove solvent from your parts washer.

III. SAFETY-KLEEN IMMERSION CLEANER SOLVENT

Immersion Cleaner Solvent is a mixture of aromatic naphtha cleaning solvents and N-Methyl-2-Pyrrolidone for use in removing varnish formed on automotive parts such as carburetors, transmissions, etc.

A. Combustibility

Safety-Kleen Immersion Cleaner is a combustible material. That means it will burn under certain conditions. Your Safety-Kleen Immersion Cleaner should not be installed where it can be exposed to heat, sparks or open flame; nor should there be any smoking nearby while a Safety-Kleen Immersion Cleaner unit is in use.

B. In Case of Fire

Use dry chemicals, foam or carbon dioxide to extinguish flame.

C. Toxicity

This solvent contains aromatic 150, N-Methyl-2-Pyrrolidone and Monoethanolamine. **DO NOT BREATHE VAPORS! HARMFUL OR FATAL IF SWALLOWED! DO NOT INDUCE VOMITING! CALL A PHYSICIAN IMMEDIATELY. KEEP AWAY FROM EYES! WASH IMMEDIATELY AND COPIOUSLY WITH RUNNING WATER. CALL A PHYSICIAN.**

Avoid contact with skin and clothing. If solvent is inadvertently spilled on skin or clothes wash immediately with running water. Remove clothes as quickly as possible and discard.

IV. SAFE USE OF YOUR SAFETY-KLEEN IMMERSION CLEANER

1. Keep away from heat, sparks and flame. Do not place hot parts in solvent.

2. Use only solvent provided. **DO NOT ADD OTHER CHEMICALS TO THE CLEANING SOLVENT, INCLUDING BUT NOT LIMITED TO KEROSENE, FUEL OIL, GASOLINE, DETERGENTS, CHLORINATED SOLVENTS OR ANY MATERIAL CONTAINING POLYCHLORINATED BIPHENYLS.** The use of any other solvents potentially causes a hazardous condition over which Safety-Kleen has no control.

3. Do not smoke, drink or eat in work area.

4. Use only in well ventilated locations. Avoid repeated and/or prolonged breathing of vapors. Vapors are heavier than air and will collect in low areas.

5. Avoid contact with eyes. Use protective eye wear such as chemical goggles.

6. Avoid contact with skin. Use protective gloves and protective clothing.

Should you desire any further information about our solvent, our service or our company, please do not hesitate to write or call - Phone No. 1-800-669-5740. The Safety-Kleen parts washer is covered under Directive #100-22, issued by the Occupational Safety and Health Administration's Director, Office of Standards, dated February 20, 1973.

RECLAMATION AGREEMENT

Safety-Kleen agrees, as part of this machine placement, to collect for reclamation from Customer the used solvent supplied by Safety-Kleen to the machine. Collection of the used solvent shall be on a periodic basis as otherwise provided herein. Safety-Kleen shall reclaim the used solvent for redelivery. Safety-Kleen has the capacity and is permitted to accept, store and reclaim the spent solvents described on this document.

Safety-Kleen and Customer agree that this agreement is intended to satisfy the requirements of 40 Code of Federal Regulations 262.20(e), as amended, and any state regulations which implement said provision. Customer agrees to keep this form on file for 3 years from the date of last service.

ADDITIONAL TERMS AND CONDITIONS

Safety-Kleen agrees to furnish the above service on its equipment, and Customer agrees that all servicing, repair and maintenance of the equipment shall be performed by Safety-Kleen only. All equipment and solvent shall remain the property of Safety-Kleen and shall be returned to Safety-Kleen upon termination of service. Customer agrees to pay for replacement of equipment due to loss or damage.

Customer agrees that it will not mix the solvent provided hereunder with other materials, that it will not introduce any substance into the solvent which is regulated as hazardous waste or which contains polychlorinated biphenyls, and that it will not otherwise cause the alteration of the characteristics or components of the solvents.

Customer agrees to indemnify and hold harmless Safety-Kleen, its officers, directors, employees and agents from and against any and all losses, expenses, damages, demands and claims based upon any injury, death or damage arising out of Customer's acts or omissions, and to pay any and all damages costs and expenses (including reasonable attorneys' fees) in connection therewith. Customer agrees that Safety-Kleen is not responsible for any violation, loss or claim arising from noncompliance with pollution control laws caused by release of solvent to the environment from the unit or resulting from customer handling, including, but not limited to, spills into adjacent waterways, sewer lines or ground water, however caused. Safety-Kleen accepts responsibility for any spill caused by its agents in connection with the installation or servicing of the machine by Safety-Kleen.



TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO. ORD981766124
(DESIGNATED FACILITY)

Clackamas Accumulation Center
16540 SE 130th Ave. Bldg. B

ADDRESS: Clackamas, OR 97015

Under manifest / sales service number 59440, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE THE APPROPRIATE BOXES	WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
	<input type="checkbox"/> Waste Petroleum Naphtha 105	D001, D006, D008, D018, D035, D039, D040,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l Cadmium Lead Benzene Methyl Ethyl Ketone Tetrachloroethylene Trichloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42)(non-waste water) 1.0 (non-waste water) 5.0 (non-waste Water) Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Petroleum Naphtha 140	D001, D006, D008, D018, D039,	Ignitable Liquid (High TOC Subcategory) Cadmium Lead Benzene Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water) 1.0 (non-waste water) 5.0 (non-waste Water) Not Established Not Established
	<input checked="" type="checkbox"/> Cyclonic, 150 Premium Solvent OR Actrel Solvent (If customer specific TCLP is not available)	D006, D008, D018, D039, D040,	Cadmium Lead Benzene Tetrachloroethylene Trichloroethylene	1.0 (non-waste water) 5.0 (non-waste Water) Not Established Not Established Not Established
	<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001, D006, D008, D018, D039,	Ignitable Liquid (High TOC Subcategory) Cadmium Lead Benzene Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water) 1.0 (non-waste water) 5.0 (non-waste Water) Not Established Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006, D008, D018, D021, D027, D035, D039, D040,	HOC's ≥ 1000 mg/l Cadmium Lead Benzene Chlorobenzene 1, 4-Dichlorobenzene Methyl Ethyl Ketone Tetrachloroethylene Trichloroethylene	INCIN (40 CFR 268.42)(non-waste water) 1.0 (non-waste water) 5.0 (non-waste Water) Not Established Not Established Not Established Not Established Not Established

FACILITY

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: ALASKAN COPPER & BRASS

EPA ID NO.: WAID980738546

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

